



Meanders of Turkey Lake: Township 34N Range 7E



Indiana Historical Land Survey Documents project - LW & CJH, 2021

Surveyed: 6/1834

TOWNSHIP 34 NORTH, RANGE 7 EAST, - SECOND PRINCIPAL MERIDIAN, IND'A.

MEANDERS of Turkey Lake, commencing at meander
Post on the West line of Miami reserve at
Flatbetty's village, South side of lake. Thence

<u>Courses</u>	<u>Chs.Lks.</u>	
N 54 W	3.00	in Sec. 22
N 42 W	11.50	at 8 chs 90 lks a run 10 lks wide. Course E.
N 81-3/4 W	5.40	
N 51-3/4 W	4.12	to post on line between Sec's 15 & 22 W. side,
		of lake, thence
N 58-3/4 W	3.64	in Sec. 15
N 34-3/4 W	5.00	
N 18-1/4 W	5.50	
N 23 W	2.50	to post on line between Sec's 15 & 16 S side
		of lake, thence

N 50 W	3.00	in Sec. 16
N 17 W	7.00	
N 54 W	3.00	
N 45-1/4 W	2.00	
N 36-1/2 W	6.10	
N 25-1/4 W	15.50	
N 62 W	3.00	
S 78-3/4 W	1.00	
S 45-1/4 W	3.00	
S 61 W	3.50	
S 88 W	9.50	
N 72-3/4 W	8.00	
N 58-1/4 W	4.00	
N 64 W	4.50	
N 34-1/4 W	7.50	
N 21 W	6.00	
N 58-1/4 W	14.00	
S 75-1/4 W	4.00	
S 60 W	7.00	to post on line between Sec's 16 & 17 S side
		of lake,
		May 28th & 30th

MEANDERS of Turkey Lake, commencing at meander
post on reserve line. N side of lake, thence

N 87 W	19.50	in Sec. 10
S 83-1/4 W	4.14	to post on line between Sec's 9 & 10 N side
		of lake, thence

N 86-1/2 W	6.50	in Sec. 9
S 77-1/2 W	21.00	
N 81-1/2 W	4.50	
S 83-1/2 W	2.50	
S 85 W	5.29	
S 55-1/2 W	0.75	
N 89 W	4.63	
N 81 W	11.00	
S 63 W	10.00	

T 34 N R 7 E 2nd P Mer. (Ind'a)

S 39 W 24.00
West 3.00
N 12 E 8.00
N 41-1/2 W 8.50
N 10 W 3.50
N 74 W 9.50
N 11-1/4 E 5.00
N 73-1/4 E 4.00
S 53-3/4 E 4.50
S 42 E 14.50
N 87 E 3.00
N 57 E 4.00
N 39-1/2 E 8.00
N 19 E 6.50
N 3 W 11.50
N 29 W 13.00
N 43 E 6.00
N 14-1/4 E 5.56

in Sec. 9

to post on line between Sec's 4 & 9 E side
of lake, thence

N 22 E 18.50
N 1-1/2 W 15.50
N 42-1/2 W 12.00
N 68 W 7.50
N 39-1/2 W 5.00
S 80-1/2 W 3.57

in Sec. 4

to post on line between Sec's 4 & 5 N side
of lake, thence

N 63-1/2 W 7.50
S 72-1/2 W 11.00
N 60-1/2 W 8.00
N 84-1/2 W 6.00
N 75 W 14.50
S 70-1/2 W 23.00
N 72-1/2 W 7.50
S 50 W 5.00
S 7-1/2 W 10.00
S 48-1/2 E 7.50
S 37 E 6.00
S 59 E 6.50
S 39 E 4.50
S 33-1/2 E 9.50
S 50-3/4 E 5.50
S 78 W 3.58
West 2.30
S 28 W 5.16

in Sec. 5

to outlet course N W
to post on line between Sec's 5 & 8 W side
of lake and over outlet, thence

S 72 E 8.00
S 88 E 22.50
S 64 E 9.00
S 47-1/2 W 13.00
S 13 W 10.00
S 41 W 13.50
S 34-1/2 E 3.50
S 61-1/2 E 3.00
N 53-1/2 E 5.00
S 80-1/2 E 12.50
S 10-1/2 E 7.50

in Sec. 8

T 34 N R 7 E 2nd P Mer. (Ind'a)

S 21 W 9.00
 S 15 E 19.50
 S 86-1/2 W 6.50
 S 64-3/4 W 7.50
 S 15-1/2 W 2.45

to post on line between Sec's 8 & 17 W side
 of main lake, thence

S 32 W 3.00
 S 86-1/2 W 2.50
 N 16-3/4 W 2.77

in Sec. 17

to post on line between Sec's 8 & 17 E side
 arm of lake, thence

N 64-1/2 W 6.00
 S 64-1/2 W 6.00

in Sec. 8

to post on line between Sec's 8 & 17 W side
 arm of lake, thence

S 50 W 5.00
 S 23 W 8.50
 S 5 W 14.50
 S 39-1/2 E 16.00
 S 87-3/4 E 14.50
 S 76 E 13.50
 N 60-1/4 E 4.00
 N 73 E 6.00
 N 49 E 4.00
 N 32 E 6.50
 N 1 E 4.50
 N 32-1/4 E 6.00
 N 65-1/2 E 4.47

in Sec. 17

to post on line between Sec's 16 & 17 S side
 of lake.

June 5. 1834.

(Inverted)

to point on line between 200's & 175 side
of lake, thence

to point on line between 200's & 175 side
of lake, thence

to point on line between 200's & 175 side
of lake, thence

to point on line between 200's & 175 side
of lake, thence

thence S. 100'